

**Replacement Parts Listings for Oneida Royal Oil-Fired Warm Air Furnace Models:**

- **HO-B-080FD OIL DIRECT DRIVE UPFLOW / MULTIPOSITION**
- **HO-B-080FB OIL BELT DRIVE UPFLOW ONLY**
- **HO-B-120FD OIL DIRECT DRIVE UPFLOW / MULTIPOSITION**
- **HO-B-120FB OIL BELT DRIVE UPFLOW ONLY**

## PARTS LISTING: HIGHBOY MODEL: HO-B-080F

Ref. No.	Description	Part No.
1	Left Side Panel Assembly	29178L
2	Right Side Panel Assembly	29177L
3	Rear Panel Assembly	29131L
4	Blower Division Panel Assembly	29133
5	Base Panel Assembly	26216
6	Inner Front Panel Assembly	29132
7	Blower Access Door	29122R
	Door Handle – P2-41	28673
8	Front Door Panel	29633R
9	Top Panel	21437L
10	Heat Exchanger Assembly	29135
	Firepot Bracket Assembly	4141185A
11a	Rear Panel Baffle	29157
11b	Left Side Panel Baffle	29158
11c	Right Side Panel Baffle	29159
12	Oil Burner Mounting Plate Assembly	27033
	Inspection Door Gasket RH	27040
	Inspection Door Gasket LH	27041
	Inspection Door Gasket Centre	27096
13	Pouch Gasket	2080175
	Flue Pipe Gasket	29176
14	Clean-out Cover Gasket 2 per unit	29163
15	Clean-out Gasket Retainer 2 per unit	29161
16	Clean-out Cover 2 per unit	29162
17	Filter Frame – 16 x 25 x 1	18020
	Filter Frame End Support	5592B2
18	Air Filter – 16 x 25 x 1 (Permanent)	2180023
19	Junction Box 3" x 3" x 1.5"	28723
	Junction Box Cover 3" x 3"	28722
	Blower Assembly, Complete, Belt Drive, ½ hp	29717
	Blower Housing and Wheel, G-10	10361
	Blower Motor, ½ hp 5.2 amp dual capacitor	29609
	3 ¼ " Motor Pulley cast iron	2240001
	5" Blower Pulley cast iron	2240005
	37" Belt	2240016
	Blower Slide Rails (2 per unit)	18189
	Blower Assembly, Complete, Direct Drive, ½ hp, 4-Speed	29204
20	Blower Housing and Wheel, G-10 DD	15011
21	Blower Wheel, G-10 DD	26430
22	Blower Motor, ½ hp, 4-Speed 7.7 amp	26088
23	Motor Mounting Band – TR6884B	17811
	Motor Mount Arms – 10-10 Blower (3 per unit)	26251
	Motor Run Capacitor, 10 mfd @ 370 vac	27743
	Capacitor Strap	27760
	Capacitor Insulator	27769
	Blower Slide Rails (2 per unit)	18189

**PARTS LISTING: HIGHBOY MODEL: HO-B-080F (Continued)**

<b>Ref. No.</b>	<b>Description</b>	<b>Part No.</b>
	Wire Harness Blower Motor – Direct Drive	29365
	- Belt Drive	29696
	Wire Harness Fan Timer Board	29364
	Wire Harness Transformer	29367
	Wire Harness Supply	29366
24	Fan Timer Board ST9103A1051	29388
25	Control Box	29362
	Transformer, 4000-01V18BB2, 120/24v, 40 va	27738
26	Oil Burner Assembly, AF76B0	29596
	Oil Burner Motor, 1/7 hp, 3450 RPM	29689
	Oil Pump, Clean-cut	29688
	Flame Retention Head, F0	11960
	Air Tube Combination, AF76B0	28583
	Protector Relay, R7184B	29664
	Oil Electronic Ignitor	29522
	Nozzle 0.70 gph / 70°W	29641
26	Riello Oil Burner Assembly 40F3	27343
	Nozzle 0.60 gph / 60°W	27345
27	Limit Control, 60T11 150°F BOF (Black Oxide Finish) (Upper Position)	29197
27	Limit Control, 60T11 140°F BOF (Black Oxide Finish) (Lower Position)	29198
	Flue Pipe Elbow 5 Inch Dia.	29475
	Draft Regulator, 5 Inch	27494

## PARTS LISTING: HIGHBOY MODEL: HO-B-120F

Ref. No.	Description	Part No.
1	Left Side Panel Assembly	28457L
2	Right Side Panel Assembly	28456L
3	Rear Panel Assembly	26209L
4	Blower Division Panel Assembly	29357
5	Base Panel Assembly	26216
6	Inner Front Panel Assembly	29710
7	Blower Access Door	29122R
	Door Handle – P2-41	28673
8a	Direct Drive Front Door Panel – Multi-position only	29714R
8b	Belt Drive Front Door Panel – Up-flow only	29386R
9a	Direct Drive Top Panel	29140L
9b	Belt Drive Top Panel	21437L
10	Heat Exchanger Assembly	29358
	Firepot Bracket Assembly	4141185A
11a	Rear Panel Baffle	29744
11b	Right Side Panel Baffle	29745
11c	Left Side Panel Baffle	29746
12	Oil Burner Mounting Plate Assembly	27033
	Inspection Door Gasket RH	27040
	Inspection Door Gasket LH	27041
	Inspection Door Gasket Centre	27096
13	Pouch Gasket	2080175
	Flue Pipe Gasket	29390
14	Clean-out Retainer Gasket 2 per unit	29163
15	Clean-out Gasket Retainer 2 per unit	29161
16	Clean-out Cover 2 per unit	29162
17	Filter Frame – 16 x 25 x 1	18020
	Filter Frame End Support	5592B2
18	Air Filter – 16 x 25 x 1 (Permanent)	2180023
19	Junction Box	28723
	Junction Box Cover	28722
	Blower Assembly, Complete, Direct Drive, ½ hp, 4 Speed	29368
20	Blower Housing and Wheel, G-10 DD	15011
21	Blower Wheel, G-10 DD	26430
22	Blower Motor, ½ hp, 4-Speed 7.7 amp	26088
23	Motor Mounting Band – TR6884B	17811
	Motor Mount Arms – 10-10 Blower (3 per unit)	26251
	Motor Run Capacitor, 10 mfd @ 370 vac	27743
	Capacitor Strap	27760
	Capacitor Insulator	27769
	Blower Slide Rails (2 per unit)	27733
	Blower Assembly, Complete, Belt Drive, ½ hp	29721
20	Blower Housing and Wheel, G-10	10361
	Blower Motor, ½ hp 7.7 Amp	29609
	3 ¼ " Motor Pulley	2240001
	5" Blower Pulley	2240005
	36" Belt	2240015
	Blower Slide Rails (2 per unit)	27733

## PARTS LISTING: HIGHBOY MODEL: HO-B-120F (Continued)

Ref. No.	Description	Part No.
	Blower Assembly, Complete, Direct Drive, 3/4 hp, 4-Speed	29385
20	Blower Housing and Wheel, GT12-10 DD	17559
21	Blower Wheel, GT12-10 DD	29692
22	Blower Motor, 3/4 hp, 4-Speed 12.5 Amp	27161
23	Motor Mounting Band – TR6884B	17811
	Motor Mount Arms – 12-10 Blower (3 per unit)	17812
	Motor Run Capacitor, 20 mfd @ 370 vac	27745
	Capacitor Strap	27761
	Capacitor Insulator	27768
	Blower Slide Rails (2 per unit)	27733
	Wire Harness Blower Motor – Direct Drive	29365
	- Belt Drive	29696
	Wire Harness Fan Timer Board	29364
	Wire Harness Transformer	29367
	Wire Harness L1/N Supply	29366
24	Fan Timer Board ST9103A1051	29388
25	Control Box	29362
	Transformer, 4000-01V18BB2, 120/24v, 40 va	27738
26	Oil Burner Assembly, AF76XN	29598
	Oil Burner Motor, 1/7 hp, 3450 RPM	29689
	Oil Pump, Clean-Cut	29688
	Flame Retention Head, F3	11961
	Air Tube Combination, AF76XN	27610
	Protector Relay, R7184B	29664
	Oil Electronic Ignitor	29522
	Nozzle 1.00 gph /70° W	29643
	Oil Burner Riello 40F3	29567
	Nozzle .75 gph /60° W	27347
27a	3 Ton - Primary Limit Control, 60T11 180°F BOF (Black Oxide Finish)	28654
27b	5 Ton - Primary Limit Control, 60T11 220°F BOF (Black Oxide Finish)	28841
	All Models - Auxiliary Limit Control 180°F BOF (Black Oxide Finish)	28654
	Flue Pipe Elbow 6 Inch Dia.	29476
	Draft Regulator, 6 Inch	12240

